CLAIM AMENDMENTS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

Claims 1 – 15 (canceled).

Claim 16 (currently amended): A method for identifying seat occupancy in a vehicle, the method which comprises:

providing a plurality of seats with a plurality of reflectors;

emitting a field of high-frequency radiation towards the plurality of seats with a single transmitter providing a single transmitter that emits a field of high-frequency radiation towards the plurality of seats such that the plurality of reflectors in the plurality of seats reflect the high-frequency radiation that is emitted from the single transmitter;

receiving providing a single receiver unit that receives the high-frequency radiation that is reflected by the plurality of reflectors in the plurality of seats with a receiver; and

evaluating, in a control unit, the radiation received by the receiver <u>unit</u> with respect to a radiation intensity and deducing therefrom a seat occupancy at the plurality of seats.

Claim 17 (previously presented): The method according to claim 16, wherein each of the seats has at least one reflector assigned thereto that is

distinguishable from other reflectors.

Claim 18 (previously presented): The method according to claim 17, which

comprises rendering the reflectors distinguishable by modulated reflection

and/or switching the reflectors on and off at time intervals and/or changing a

beam direction of the wave field.

Claim 19 (previously presented): The method according to claim 16, wherein at

least one reflector is disposed in or on an associated seatbelt for each seat and

when the belt is fastened, the reflector is moved into a position within a wave

field emitted by the high-frequency transmit unit, in which the at least one

reflector receives and correspondingly transmits back appreciably more

electromagnetic high-frequency energy than when the seatbelt is in an open

passive position.

Claim 20 (previously presented): The method according to claim 19, which

comprises retracting the seatbelt, in the open passive position, into an

electromagnetically screened region.

Claim 21 (previously presented): The method according to claim 20, which

comprises retracting the seatbelt into a belt tensioner.

comprises implementing the method steps as an alternative to or in

combination with at least one other method for determining occupancy of a

seat, in which reflectors are arranged in and/or on a seat surface, a backrest

and/or a headrest of the seat.

Claim 23 (previously presented): The method according to claim 16, which

comprises implementing the method steps in combination with a method for

access control and/or for starting the vehicle.

Claim 24 (previously presented): The method according to claim 23, which

comprises implementing the method steps at intervals and/or after activation by

a pre-crash sensor.

Claim 25 (previously presented): The method according to claim 23, which

comprises implementing the method steps upon activation of an accident early

warning system.

Claim 26 (previously presented): The method according to claim 16, which

comprises triggering a comfort application in the vehicle with at least one result

or output signal of the evaluating step.

Claim 27 (previously presented): The method according to claim 16, which

comprises activating user-friendly operation in a passive access control and

start system in a vehicle in response to at least one specific result and/or output

signal of the evaluation step.

Claim 28 (previously presented): The method according to claim 27, which

comprises releasing engine start functions and/or a steering wheel lock only if a

driver's seat is detected as being occupied by an adult and a customer

identification device is present in an interior of the vehicle, demonstrating

access and start authorization in a contactless fashion.

Claim 29 (previously presented): The method according to claim 16, which

comprises processing at least one result or output signal of the evaluation step

as an information source for safety applications.

Claim 30 (previously presented): The method according to claim 16, which

comprises processing at least one result or output signal of the evaluation step

as an information source for an activation of an airbag system, a belt tensioner,

and/or an adjustment of a headrest.

Claim 31 (currently amended): A system for identifying seat occupancy in a

vehicle with a plurality of seats to be monitored, comprising:

a single transmitter unit for emitting configured to emit a field of high-

frequency radiation towards each of the plurality of seats to be monitored;

a plurality of reflector elements respectively disposed at the <u>plurality of</u> seats for reflecting, said plurality of reflector elements, which are disposed at

the plurality of the seats, configured to reflect the high-frequency radiation that

is emitted by the single transmitter in dependence on an occupancy of the

seats;

a <u>single</u> receiver unit disposed to receive the high-frequency radiation

after reflection at said reflector elements that is reflected by said plurality of

reflector elements which are disposed at the plurality of seats; and

a control unit connected to said transmitter unit and to said receiver unit

for activating a generation of the high-frequency wave field and/or for

evaluating a radiation intensity received by said receiver unit in dependence on

the occupancy of the seats.

Claim 32 (previously presented): The system according to claim 31, wherein

said reflector elements are each assigned to a respective seat and said

reflector elements are individually distinguishable from other reflectors

assigned to other seats.

Claim 33 (previously presented): The system according to claim 31, wherein at

least one reflector is disposed in or on a seatbelt associated with a respective

seat.

Appl. No. 10/550,497 Amdt. Dated June 16, 2008 Reply to Office Action of April 14, 2008

Claim 34 (previously presented): The system according to claim 31, wherein said system is configured to implement the method according to claim 16.

Claim 35 (cancelled).